

INNER POUCH LABEL

ACCEPTED FOR REGISTRATION

June 3, 2011

New York State Department of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

DOC ID 526907

LIQUA-TOX[®] II

Do Not Use in Homes or Other Residential Settings. Do Not Use Outdoors.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See outer package label for complete DIRECTIONS FOR USE including USE RESTRICTIONS. It is illegal to sell this product unless it is accompanied by a complete set of accepted labeling.

INDIVIDUAL SALE IS PROHIBITED BY LAW

A Concentrate for Preparing Liquid Baits to Kill Norway Rats, Roof Rats, and House Mice

Mix contents of pouch with 1 quart of water

ACTIVE INGREDIENT:
Sodium Salt of Diphacinone (CAS #42721-99-3): 0.106%
OTHER INGREDIENTS: 99.894%
TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN WARNING

See back panels for First Aid and additional precautionary statements.

EPA REG. NO. 12455-61 EPA EST. NO. 12455-WI-1

Net Contents: 1.68 fl. oz. (50 ml) pouch

Manufactured by:

 3699 Kinsman Blvd.
 Madison, WI 53704 U.S.A. • www.belllabs.com

<p>TREATMENT FOR PET POISONING If animal eats bait, call veterinarian or 1-877-854-2494 at once.</p>	<p>NOTE TO PHYSICIAN OR VETERINARIAN Anticoagulant Sodium Salt of Diphacinone: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or dogs that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K₁ intramuscularly or orally.</p>
---	--

<p>FIRST AID Have label with you when obtaining treatment advice.</p>	<p>If swallowed</p> <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. <p>If on skin</p> <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor immediately for treatment advice. <p>If inhaled</p> <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
--	---

OUTER LABEL

PRINTS AT 100% on 11x17

LIQUA-TOX[®] II

Do Not Use in Homes or Other Residential Settings. Do Not Use Outdoors.

A Concentrate for Preparing Liquid Baits to Kill Norway Rats, Roof Rats, and House Mice

Mix contents of pouch with 1 quart of water

ACTIVE INGREDIENT:
Sodium Salt of Diphacinone (CAS #42721-99-3): 0.106%
OTHER INGREDIENTS: 99.894%
TOTAL 100.000%

Net Contents:
13.44 fl. oz. (397 ml)
8 - 1.68 fl. oz. (50 ml) pouches

Manufactured by:

 3699 Kinsman Blvd.
 Madison, WI 53704 U.S.A.
 www.belllabs.com

KEEP OUT OF REACH OF CHILDREN WARNING

EPA REG. NO. 12455-61 EPA EST. NO. 12455-WI-1

<p>FIRST AID Have label with you when obtaining treatment advice.</p>	<p>If swallowed</p> <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. <p>If on skin or clothing</p> <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor immediately for treatment advice. <p>If inhaled</p> <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
--	---

APPLICATION DIRECTIONS:

RATS: Provide a minimum of 1 pint (16 fluid ounces) of LIQUA-TOX II diluted product in each dispenser (suitably-equipped bait station, chick fountain, or other suitable device). If infested area is large, or if rat population appears to be high, use dispensers at several locations. Space dispensers and refill them as needed to ensure that bait is exposed in all infested areas where it can be used without putting nontarget organisms at risk.

MICE: Provide 1/2-pint (8 fluid ounces) placements of LIQUA-TOX II diluted product in suitably-equipped bait stations, chick fountains, or other appropriate vessels. Place dispensers at intervals of 8 - 12 feet in all infested areas where bait can be used without putting nontarget organisms at risk.

FOLLOW-UP: Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all visible dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
WARNING: May be fatal if absorbed through the skin. Harmful if swallowed. Avoid breathing vapors. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. Avoid exposure to this product during pregnancy.

All handlers (including mixers and applicators) must wear coveralls over short sleeved shirt and short pants, chemical resistant footwear, socks, and water-proof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements
Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

TREATMENT FOR PET POISONING
If animal eats bait, call veterinarian or 1-877-854-2494 at once.

NOTE TO PHYSICIAN OR VETERINARIAN
Anticoagulant Sodium Salt of Diphacinone: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or dogs that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K₁ intramuscularly or orally.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:
1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hooded livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS
For indoor use only. This product is for control of Norway rats, roof rats and house mice only inside of industrial, commercial, agricultural, and public buildings, and similar man-made structures. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not use in sewers.

Do not sell this product in individual containers holding less than 13.44 fl. oz of bait concentrate.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

MIXING DIRECTIONS: Wearing waterproof gloves, thoroughly mix contents of one 1.68 fl. oz. pouch in 1 quart (32 fluid ounces) of water.

6337

0 30835 40207 6

010411/12-10