

LIMITED TO CRACK & CREVICE™ TREATMENT ONLY: Using a bulbous duster apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK & CREVICE TREATMENT ARE NOT PERMITTED.

APPLICATIONS IN NON-FOOD AREAS

For use in and around homes, institutions, hospitals, office buildings, hotels, motels, theaters, schools, warehouses, truck trailers and railroad cars. Includes areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

CRAWLING INSECTS: To control Ants, Cockroaches, Silverfish, Firebrats, Spiders, Boxelder Bugs, Ticks, Lice and Fleas (in animal quarters), distribute this product at the rate of 1 oz/50 ft² of surface area. Apply a continuous visible film underneath and behind stairs, refrigerators and appliances. Treat on, around and behind moldings, shelving, pipe openings, cracks, crevices and other areas where insects hide. For severe infestations, apply this product behind cabinets and walls, in crawl spaces and attics at the rate of 1 lb/1,000 ft² of surface area. Electric or hand-operated rotary dusters may be used in attics and/or crawl spaces.

INDOOR AND OUTDOOR TREATMENTS

CARPENTER ANTS: Locate source of infestation or areas of suspected activity. Treat insect tunnels and cavities and void areas. Treat points of entry or exits from voids such as around doors, windows and siding.

BOXELDER BUGS, CLOVER MITES, CLUSTER FLIES AND ELM LEAF BEETLES: Inject cracks and crevices and/or voids where these insects may be harboring or hibernating. Infested areas include, but are not limited to, cracks and crevices, behind siding, wall voids, around window and door frames.

BEES AND WASPS (in Ground or Voids): If practical, it is advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Using hand or power duster or other suitable means, wash extension tubes if necessary, thoroughly dust nest and entrance and surrounding areas where insects alight. Locate nests in wall voids. If necessary, drill a hole in the area. Apply dust in void and reseal. For best results check nests carefully one or two days after treatment to ensure complete kill. Repeat if necessary. Remove or destroy nest to prevent emergence of newly-hatched insects.

SEWER TREATMENTS: Cockroach or other insect infestations in sanitary sewers may be treated with approximately 6 oz of this product per manhole. When treating sewers, one manhole per 200 ft of line should be treated. Apply product to sides of manhole and other surfaces with hand or power duster. Treatments may also be made by removing the manhole cover and replacing with a disc of plywood bored to receive the usual flexible hose from portable or truck-mounted ventilating equipment. 6 oz of this product is introduced into the ventilating air to be dispersed quickly and thoroughly through the system.

OUTDOOR TREATMENTS

ANTS, CENTIPEDES, CLOVER MITES, COCKROACHES, CRICKETS, EARWIGS, GROUND BEETLES, MILLIPEDES, PILLBUGS, SCORPIONS, SOUBUGS AND SPIDERS: Treat cracks around doors, windows, under siding and voids at foundation level, beneath guards on loading docks, into cracks in foundations and floors and in other places where these pests may enter building.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Keep away from moisture. Sweep up and dispose of with chemical waste.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or an approved waste disposal facility.
CONTAINER DISPOSAL: Empty container by using the product in accordance with the label directions. Do not reuse this container! Place empty container in trash or offer for recycling if available. If container is partly filled, call your local solid waste agency for disposal instructions. NEVER PLACE UNUSED PRODUCT DOWN ANY INDOOR OR OUTDOOR DRAIN.

CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE LIABILITY WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Whitmire.

Prescription Treatment® brand

TRI-DIE®

Silica & Pyrethrum Dust

KILLS: Ants, Bed Bugs, Bees, Booklice, Boxelder Bugs, Carpet Beetles, Carpenter Ants, Centipedes, Clover Mites, Cluster Flies, Crickets, Cockroaches, Drywood Termites, Earwigs, Elm Leaf Beetles, Firebrats, Fleas, Ground Beetles, Lice, Millipedes, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Stored Product Pests, Powder Post Beetles, Ticks and Wasps

FOR USE IN AND AROUND: Apartments, Campgrounds, Food Processing Plants, Food Storage Areas, Homes, Hospitals, Hotels, Institutions, Meat and Poultry Processing Plants, Motels, Nursing Homes, Office Buildings, Resorts, Restaurants and other Food Handling Establishments, Schools*, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes**), Utilities, Warehouses, and other Commercial and Industrial Buildings

* Do not apply to classrooms when in use.
 ** Do not use in aircraft cabins.

ACTIVE INGREDIENTS:

Pyrethrins, a botanical insecticide	1.0%
Piperonyl Butoxide, Technical*	10.0%
Amorphous Silica	40.0%
OTHER INGREDIENTS:	49.0%
Contains Petroleum Distillate	TOTAL:100.0%

* Equivalent to 8.0% (butylcarbitol) (6-propylpiperonyl) ether and 2.0% related compounds.

EPA Reg. No. 499-429 • EPA Est. No. 7969-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panels for First Aid, Precautionary Statements, Directions for Use and Storage & Disposal.

Net Weight: 5 lbs

Manufactured for:
 Whitmire Micro-Gen Research Laboratories, Inc.®
 by BASF Corporation
 3568 Tree Court Industrial Blvd.
 St. Louis MO 63122-6682
 Questions? Call 1-800-777-8570
 © 2010 Whitmire Micro-Gen Research Laboratories, Inc.®

81040321

100720-55

30472235

FIRST AID

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 min. Call a poison control center or doctor for treatment advice.
IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-832-HELP for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Residue must be kept out of reach of children or domestic animals. Avoid contamination of food and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

INDOOR TREATMENTS

CRAWLING INSECTS: To control Ants, Booklice, Carpet Beetles, Crickets, Cockroaches, Scorpions, Silverfish, Firebrats and Spiders, apply a small amount of this product, at the rate of 1 oz/50 ft² of surface area, into voids, underneath and behind stairs, refrigerators and appliances. Treat on, around and behind moldings, shelving, product behind cabinets and walls, in crawl spaces and attics at the rate of 1 lb/1,000 ft² of surface area.

STORED PRODUCT PESTS: To aid in the control of Cadelles, Cheese Mites, Cigarette Beetles, Confused Flour Sawtoothed Grain Beetles and Yellow Mealworms in mills, elevators and granaries. Clean up waste materials, dust, dirt and any other debris. Thoroughly treat floors, walls and other surfaces in bins, storage and handling areas. Apply into cracks and crevices and other difficult to reach areas where insects may hide. This product may also be applied in voids or cracks and crevices in pantries and other infested areas within the structure.

FLEAS, LICE AND TICKS: Treat pet bedding, floor and floor coverings and all areas where pests may inhabit. Treat cracks and crevices behind moldings, shelving, baseboards, pipe openings and all other cracks.

BED BUGS: Take bed apart. Dust into joints and channels. If hollow, such as square or round tubing, see that the moldings and all cracks and crevices in the room should be treated.

DRYWOOD TERMITES, POWDER POST BEETLES: To protect structures use an electric or hand operated rotary duster to distribute this product through insect entry points such as crawl holes into attics and crawl spaces of that all wood surfaces can be treated. In case of localized infestations, probe to locate galleries and drill holes to inject this product into the galleries and void areas. If a heavy infestation has developed, fumigation should be employed.

SOUBUGS, PILLBUGS, GROUND BEETLES, EARWIGS, MILLIPEDES, CENTIPEDES AND SCORPIONS: Apply in voids and cracks and crevices around doors and windows and other places where these pests may enter premises. Treat behind baseboards, storage areas and other locations where these pests are found.

APPLICATIONS WITHIN FOOD AREAS

Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry processing plants, hotels, motels, hospitals and schools. Includes areas for receiving, storage (dry, cold, frozen or raw), packaging (canning, bottling and grinding), enclosed processing systems (mills, dairies and systems for processing edible oils and syrups).

ACCEPTED
 VIA NOTIFICATION
 LABEL NOT REVIEWED

OCT 06 2010

New York State Department
 of Environmental Conservation
 Division of Solid & Hazardous Materials
 Pesticide Product Registration

Classified for
 "RESTRICTED USE"
 in New York State
 under 6NYCRR Part 326

Doc ID: 524186